


CROOC 0306

PLAYGROUND EQUIPMENT





Minimal space



Material Specification

Availability of spare parts

In accordance w/ EN standards

Weight of the heaviest part [kg]

Dimension of the biggest part [cm]

Device Specifications

Safety zone

Total height

Age range

Free fall height

Length

Width

- 80 x 80 mm stainless steel construction;
- · Panels and roofs are made of atmospheric condition resistant HPL plates;

33,20 m²

4,00 m

3,22 m

2,84 m

1,20 m

3-12 years

1176-1:2017

38

335x8x8

Yes

- HPL platforms and climbing walls;
- All screws covered with plastic caps;
- No sharp edges or chinks that would pose a danger of jamming the head, fingers or any other body parts;
- Top of the construction is secured with rubber caps;
- Stainless steel slide;
- Other stainless steel elements;

Additional comments

- The equipment is certified by an accrediting organization or by certificate of conformity;
- Depth of foundations on a flat surface:80/70/60 cm;
- The equipment is designed for public playgrounds;
- Slides should not be installed southwards;

Surfaces

Due to the free fall height of the equipment, the EN 1176-1:2017 standard allows the following surfaces: sand with minimal layer thickness of 30 cm (A), synthetic material approved for free fall of 1,20 m (A)

