
## hoop 0704

TRIANGULAR CAROUSEL

| DEVICE SPECIFICATIONS              |                      |  |  |
|------------------------------------|----------------------|--|--|
| Safety zone                        | 21,20 m <sup>2</sup> |  |  |
| Diameter                           | 1,20 m               |  |  |
| Total height                       | 0,70 m               |  |  |
| Free fall height                   | 0,70 m               |  |  |
| Age range                          | 3-12 yrs             |  |  |
| In accordance w/ EN standards      | 1176-1:2009          |  |  |
| Availability of spare parts        | Yes                  |  |  |
| Weight of the heaviest part [kg]   | 89                   |  |  |
| Dimension of the biggest part [cm] | 120x90               |  |  |

## Minimal space





## **MATERIAL SPECIFICATION**

Hoop series – hoops and carousels for children manufactured using innovative technical solutions involving modern slylistics and the widest selection of patterns unavailable among other manufacturers. Devices from this series are continuously popular among children that enjoy watching the world spin around them. The hoop series devices provide the children with a fun experience while also stimulating their development and boosting creativity and imagination.

- Galvanized and/or powder coated steel construction
- Platform made out of atmospheric condition resistant HDPE polythene plates including graphical elements
- No sharp edges or chinks that would pose a danger for jamming of the head, fingers or any other body parts

  Due to the free fall height of the
- All screws covered with colorful plastic caps

## **ADDITIONAL COMMENTS**

- The device is certified by an accrediting organizatio
- Embedded 60 cm deep in flat ground
- The device is designed for public playground

Due to the free fall height of the device, the EN 1176-1:2009 standard allows the following surfaces to cushion a fall. The level of granular materials requires filling in, conservation of synthetic materials is required in accordance with the manufacturer's instructions. Dimensions of the foundation are described

| III III Stallation III Struction. |                                 |                                 |                       |  |
|-----------------------------------|---------------------------------|---------------------------------|-----------------------|--|
| Material                          | Description [mm]                | Minimal layer<br>thickness [mm] | Dimensions foundation |  |
| Turf/Soil                         |                                 |                                 | Α                     |  |
| Tree bark                         | Grain size<br>from 20 to 80     | 300                             | Α                     |  |
| Chip                              | Grain size<br>from 5 to 30      | 300                             | Α                     |  |
| Sand                              | Grain size<br>from 0.2 to 2     | 300                             | Α                     |  |
| Gravel                            | Grain size<br>from 2 to 8       | 300                             | Α                     |  |
| Synthetic                         | Free fall<br>approval<br>> 1000 |                                 | Α                     |  |



BabyCam playground and outdoor fitness manufacturer